

Space-Time Coordinate Metadata for the VO

Arnold Rots


SAO

Space-Time Coordinate Metadata

- The **STC** metadata describes the volume in coordinate space occupied by the data, resource, or query they are attached to
- The (intertwined) coordinates are:
 - Time
 - Space
 - Redshift / Doppler velocity
 - Spectrum
- What it does not describe is how this volume is projected/mapped onto the dataset (e.g., pixel array)


STC Structure

- **STC** contains three top-level element types:
 - *CoordSys* describes the coordinate frames
 - *Coords* for specifying a particular position
 - *CoordArea* specifies a volume
- The **STC** metadata element takes on one of four forms, depending on context:
 - Resource description
 - Query specification
 - Catalog dataset
 - Observation dataset
- The (spatial) **region** specification is used in *CoordArea*
- The schema definition is provided in three files, found at <http://hea-www.harvard.edu/~arots/nvometa>:
 - **stc.xsd**
 - **coords.xsd**
 - **region.xsd**




Generated with XMLSpy Schema Editor www.xmlspy.com

The *CoordArea* indicates the resource's coverage. *CoordSpec* provides information on typical errors, resolution, and fields of view.




CoordArea indicates the region of interest.


CoordSpec indicates the image size, resolution, and errors that the client is interested in.




Servers of catalog data are encouraged to indicate what the coverage of the returned data is.




Observational data need not only the position of the data, but also of the observatory in order to be complete.



The *CoordSys* element contains the coordinate frames for each of the coordinates, a description of what the coordinates axes are, and a reference to a planetary ephemeris (if needed).






Generated with XMLSpy Schema Editor www.xmlspy.com

TimeRefPosition is the place where time is measured – either a name from an enumerated list, or a specified position in space.


Note that time may only be correct for the position specified in the *Coords* element, if *RefPos* is anything but TELESCOPE




Generated with XMLSpy Schema Editor www.xmlspy.com

CoordRefPosition is the origin of the spatial coordinate system – either a name from an enumerated list, or a specified position in space. For the coordinate frame, see the next page.

The spatial coordinate frame allows for an arbitrarily oriented set of axes, centered on an origin (see previous page).




Generated with XMLSpy Schema Editor www.xmlspy.com





Generated with XMLSpy Schema Editor www.xmlspy.com

The coordinates element may refer to a file or it may contain actual positions in the four coordinate groups. Spatial position may be one-, two-, or three-dimensional and may include velocities (as distinct from redshift; i.e., physical velocity, not Doppler).



Each coordinate consists of up to six components: a name (*UCD?*), value, error, resolution, size, and pixel size.


Each component includes its own unit attribute.




A general-purpose astronomical time element type.

Relative time types (e.g., Mission Elapsed Time) require a time reference that is not relative.

A *Reference* means a reference to another element that holds the value (e.g., a table column in the document).





Used for error, resolution, size, pixel size; either an actual value or *Reference* (meaning a reference to another element that holds the value).




Generated with XMLSpy Schema Editor www.xmlspy.com


Spatial positions may be 1-D (scalar), 2-D (2vector), or 3-D (3vector); see also the next two pages. As is the case for time, an element contains name, value, error, resolution, size, and pixel size components – each with its own unit attribute.








For spatial coordinates we allow decimal or sexagesimal values, as well as references. A *Reference* means a reference to another element that holds the value (e.g., a table column in the document).



Generated with XMLSpy Schema Editor www.xmlspy.com


The same comments apply as on the previous page, except that *Value* will hold two doubles and *Value60* a string with two sexagesimal numbers.

The same applies to the 3-D case, except that sexagesimal is not allowed anymore: only doubles and references.




Generated with XMLSpy Schema Editor www.xmlspy.com

The coordinate size type gets more complicated in 2 or 3 dimensions: one needs to add position angles, or resort to specification through a matrix.



Generated with XMLSpy Schema Editor www.xmlspy.com


Used for spectral values; either an actual value or *Reference* (meaning a reference to another element that holds the value).



Generated with XMLSpy Schema Editor www.xmlspy.com


CoordArea

- The *CoordArea* consists of:
 - Time interval(s)
 - Velocity interval(s) (one- to three-dimensional)
 - Spectral interval(s)
 - Redshift / Doppler velocity interval(s)
 - Spatial area:
 - Straight interval (one- to three dimensional)
 - Circle (2-D) or sphere (3-D) specified by center and radius
 - *Region* (see region element specification from region.xsd)
 - FITS region file




Generated with XMLSpy Schema Editor www.xmlspy.com

An interval is defined by a (1-D, 2-D, or 3-D) lower limit and/or an upper limit (i.e., unbounded in the direction of the missing limit), as well as attributes that indicate whether the limits are inclusive, what the units are, and a fill factor.



Generated with XMLSpy Schema Editor www.xmlspy.com




Generated with XMLSpy Schema Editor www.xmlspy.com

Spatial Region Specification

region.xsd


- Building blocks:
 - *Shapes*
 - Polygon
 - Circle
 - Ellipse
 - Sector
 - Constraint (on unit sphere only)
 - Convex (on unit sphere only)
 - Convex hull
 - *Region operators*
 - Negation (operand: one region): logical NOT
 - Union (operand: two or more regions): logical OR
 - Intersection (operand: two or more regions): logical AND
- A **region** is defined as either a *shape* or the result of a *region operator*

This diagram is explained on the previous page. *Region* is a *substitutionGroup* with nine derived types.



Generated with XMLSpy Schema Editor www.xmlspy.com

Strictly speaking, a *circle* is a special case of an *ellipse*, but for practical reasons we have defined the *ellipse* as an extension of the *circle*



Generated with XMLSpy Schema Editor www.xmlspy.com

Polygon	
type	reg:polygonType
substGrp	reg:Region

A polygon is a shape delineated by a list of vertices connected with lines, great circles, or small circles; the inside of the polygon is circumscribed counter-clockwise by the list of vertices; the polygon may be concave but not self-intersecting; the last vertex in the list is the predecessor of the first. For celestial coordinates it is assumed that we are looking at the sphere from the inside, with Right Ascension increasing to the left.

reg:polygonType

Vertex	
type	reg:vertexType

1..∞

In order to form polygons, vertices are to be connected with straight line segments. In the case of spherical coordinates: greatcircle segments; if a smallCircle element is present, the vertex and its predecessor are to be connected with a smallcircle, by default in the CoordSys that is referenced; optionally, a pole may be specified (other than the CoordSys pole) that defines the smallcircle system

reg:vertexType

Position	
type	crd:coordsType

SmallCircle	
type	reg:smallCircleType

reg:smallCircleType


Pole	
type	crd:coordsType

Generated with XMLSpy Schema Editor www.xmlspy.com


A *polygon* is specified by a list of vertices. It is defined as the shape enclosed by connecting successive vertices by straight lines (Cartesian coordinates) or by either great-circles or small-circles (spherical coordinates). The small-circle option is indicated by the presence of a *SmallCircle* element. The default pole of the small-circle system is the pole of the *CoordSys*; optionally, a different pole may be specified. It is the responsibility of the *region* constructor to make sure that successive vertices that are to be connected with a small-circle actually lie on the same small-circle or parallel.

The inside of the polygon is circumnavigated counter-clockwise by going through the list of vertices. Polygons may be concave but may not be self-intersecting.

A *sector* is the area between two half-lines emanating from the same point.
 It may be used by itself but is more likely to be intersected with a *circle* or *ellipse*.



Generated with XMLSpy Schema Editor www.xmlspy.com



Generated with XMLSpy Schema Editor www.xmlspy.com

A *constraint* is the part of the unit sphere that is cut off by intersecting it with a plane that is normal to a unit *vector* and that intersects that normal *vector* at a certain *offset* distance from the center of the sphere. The selected spherical section is the one that contains the normal unit vector's point.

A *convex* is the intersection of one or more constraints. The result will be empty, a single point, the entire sphere, or one or more convex polygons.