

Hot Interstellar Matter in Elliptical Galaxies

For further volumes:
<http://www.springer.com/series/5664>

Astrophysics and Space Science Library

EDITORIAL BOARD

Chairman

W. B. BURTON, *National Radio Astronomy Observatory, Charlottesville, Virginia, U.S.A. (bburton@nrao.edu); University of Leiden, The Netherlands (burton@strw.leidenuniv.nl)*

F. BERTOLA, *University of Padua, Italy*

J. P. CASSINELLI, *University of Wisconsin, Madison, U.S.A.*

C. J. CESARSKY, *Commission for Atomic Energy, Saclay, France*

P. EHRENFREUND, *Leiden University, The Netherlands*

O. ENGVOLD, *University of Oslo, Norway*

A. HECK, *Strasbourg Astronomical Observatory, France*

E. P. J. VAN DEN HEUVEL, *University of Amsterdam, The Netherlands*

V. M. KASPI, *McGill University, Montreal, Canada*

J. M. E. KUIJPERS, *University of Nijmegen, The Netherlands*

H. VAN DER LAAN, *University of Utrecht, The Netherlands*

P. G. MURDIN, *Institute of Astronomy, Cambridge, UK*

F. PACINI, *Istituto Astronomia Arcetri, Firenze, Italy*

V. RADHAKRISHNAN, *Raman Research Institute, Bangalore, India*

B. V. SOMOV, *Astronomical Institute, Moscow State University, Russia*

R. A. SUNYAEV, *Space Research Institute, Moscow, Russia*

Dong-Woo Kim • Silvia Pellegrini
Editors

Hot Interstellar Matter in Elliptical Galaxies

 Springer

Editors

Dong-Woo Kim
Harvard Smithsonian Center for Astrophysics
Garden Street 60
02138 Cambridge Massachusetts
USA
kim@head.cfa.harvard.edu

Silvia Pellegrini
Dipartimento di Astronomia
Università di Bologna
Via Ranzani 1
40127 Bologna
Italy
silvia.pellegrini@unibo.it

Cover figure: Chandra image of NGC 7619. From Kim et al. (2008). Reproduced by permission of the AAS.

ISSN 0067-0057

ISBN 978-1-4614-0579-5

e-ISBN 978-1-4614-0580-1

DOI 10.1007/978-1-4614-0580-1

Springer Heidelberg Dordrecht London New York

Library of Congress Control Number: 2011938147

© Springer Science+Business Media, LLC 2012

This work is subject to copyright. All rights are reserved, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilm or in any other way, and storage in data banks. Duplication of this publication or parts thereof is permitted only under the provisions of the German Copyright Law of September 9, 1965, in its current version, and permission for use must always be obtained from Springer. Violations are liable to prosecution under the German Copyright Law.

The use of general descriptive names, registered names, trademarks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

Cover design: eStudio Calamar S.L.

Printed on acid-free paper

Springer is part of Springer Science+Business Media (www.springer.com)

Preface

The physical properties of the hot interstellar matter (ISM) in elliptical galaxies are directly related to the formation and evolution of these systems, via star formation episodes, the passive evolution of their aging stellar population, environmental effects such as stripping, infall, and mergers, and the growth of supermassive black holes. The recent successful X-ray space missions Chandra and XMM-Newton have provided a large amount of unprecedented high quality observational data on the hot ISM in elliptical galaxies. Thanks to the outstanding angular resolution of Chandra and the large collecting area of XMM-Newton, the fine structure of the hot gas has been imaged in detail, and key physical quantities have been accurately measured, so that theoretical predictions can be compared and tested against the observational results. At the same time, theoretical studies with numerical simulations and analytical modeling of the dynamical and chemical evolution of elliptical galaxies and their hot gas have made significant progress, and start to predict various observable quantities. With contributions from eight leading experts in this field, we intend in this book to review the most significant improvements to our understanding of the hot ISM in elliptical galaxies, and present in detail a number of key discoveries obtained during the last 10 years of the Chandra and XMM-Newton missions, and the corresponding theoretical work.

The need for this book originally emerged during the Joint Discussion between the “Galaxies” and “ISM” IAU Divisions, organized for the XXVII IAU General Assembly of 2009 in Brazil; upon this occasion both observers and theorists in the field were brought together to identify important, but unsolved problems for further investigation, with special emphasis on the spectral and spatial properties of the hot ISM and the comparison with recent theoretical models. Throughout this Joint Discussion, it became clear that time was ripe for an extensive publication, covering a large amount of new important material, and acting as a useful reference for students who approach this field, as well as for experts in related fields.

As this book is primarily intended for graduate students and non-specialists, we provide first in each chapter an introductory and historical background, followed by state-of-the-art results, with a special emphasis on the balance between

observational and theoretical aspects. Throughout the book, the chapters are arranged in such a way that the observational and theoretical results can be compared side by side. Among the eight chapters, roughly half are observationally oriented and the other half are theoretically oriented. All chapters are cross-referenced whenever necessary, so that the readers can easily overview and grasp a coherent picture by finding the related materials discussed in the different parts of the book.

By nature of the state-of-the-art science that is continuously advanced through arguing and counter-arguing, there may be occasionally differing views on an issue, and this is the case for the last two chapters of the book. While we try to minimize any potential confusion, conflicting views are unavoidable sometimes, so the two different positions are presented as they are, and we ask the readers to carefully consider the arguments of both. We hope that this case provides an excellent example for the students to start building their own research framework for their solid future.

Cambridge
Bologna

Dong-Woo Kim
Silvia Pellegrini

Contents

| | | |
|----------|--|-----|
| 1 | The Hot ISM of Elliptical Galaxies: A Brief History | 1 |
| | Giuseppina Fabbiano | |
| 2 | Hot Gas Flows on Global and Nuclear Galactic Scales | 21 |
| | Silvia Pellegrini | |
| 3 | Feedback and Environmental Effects in Elliptical Galaxies | 55 |
| | Craig L. Sarazin | |
| 4 | AGN Feedback in Elliptical Galaxies: Numerical Simulations | 83 |
| | Luca Ciotti and Jeremiah P. Ostriker | |
| 5 | Metal Abundances in the Hot ISM of Elliptical Galaxies | 121 |
| | Dong-Woo Kim | |
| 6 | Abundances and Abundance Ratios in Stars and Hot Gas in Elliptical Galaxies | 163 |
| | Antonio Pipino | |
| 7 | Hot Gas Morphology, Thermal Structure, and the AGN Connection in Normal Elliptical Galaxies | 207 |
| | Thomas S. Statler | |
| 8 | Dark Matter in Elliptical Galaxies | 235 |
| | David A. Buote and Philip J. Humphrey | |
| | Index | 279 |