

Instructions for use of “molly” to prepare files for Doppler or Modmap

In the following instructions, computer output is in type, prompts end with “.” or “>”, comments are in boldface and that which the user should type is in *italics*:

Preparation to use 'molly'

To use molly, you will need two input files in addition to ascii files that contain wavelength, flux, and errors for each of your spectra. The first input file, to be named 'molly.in', should contain a line for each spectrum used, as follows:

```
lasc spectralfile1.asc 1 1 2 3 \\ \\
lasc spectralfile2.asc 2 1 2 3 \\ \\
```

The 3rd column lists the file number and '1 2 3' refers to the three columns of data - wavelength, flux and error. If no errors are given, the '3' in each line should be replaced by '-3', so that modmap can still process the data.

The second input file, named 'molly.info', should contain two initial lines for column headings and, once again, a line for each spectrum, giving the information shown below:

Object	UTC	RA	Dec	Equinox	Dwell	Day	Month	Year
C	D	D	D	D	R	I	I	I
V616Mon	5.0000000	6.3771111	-0.3165000	2000	900.000	14	12	2006
V616Mon	5.3075000	6.3771111	-0.3162500	2000	900.000	14	12	2006

All of these data should be in the image headers of the spectra. The exposure start time (UTC) may have to be converted into hours, if it is not already in that format (it may be in seconds).

Starting molly

To access molly routines, source the following in the directory in which you want to work:

```
: source /data/saku10/software/setup.csh
```

Then type 'molly' in the prompt:

```
: molly
```

You will then see the following start-up text:

```
molly -- spectrum analysis. If you are new to molly type 'help molly' for information about the program. Type 'help' or '?' for a command list.
```

```
This version was linked at 10:29:07, 10/08/2010
```

```
Startup file found.
```

```
Opened1: /data.saku/software/F77/molly/startup
```

Maximum spectrum length set = 4000
Maximum number of spectra = 7500
Files will be written even if a file of the same name exists.
Closed1: /data.saku/software/F77/molly/startup

No local startup file found

To exit molly, simply type 'q', then 'y' to confirm

Setting up files to edit in molly

To load the ascii files, type the following in molly:

```
molly> @molly.in
```

```
Opened1: molly.in
lasc m06053c2.txt 1 1 2 -3 \ \ \
Slot 1 , NPOLY = 2 , Max dev = 0.0006360767 pixels.
Acceptable fit found
Spectrum data range: 257.5366 446.8187
Constant added to make data positive: 44.68187
Mean photons per data number: 0.898266170058243
Median filtering 1798 points.
lasc m06054c2.txt 2 1 2 -3 \ \ \
Slot 2 , NPOLY = 2 , Max dev = 0.00063941866 pixels.
Acceptable fit found
Spectrum data range: 229.5087 400.58
Constant added to make data positive: 40.058
Mean photons per data number: 0.8765018851187771
Median filtering 1798 points.
lasc m06055c2.txt 3 1 2 -3 \ \ \
Closed1: molly.in
```

As you can see above, the spectra will be loaded into numbered 'slots', corresponding to the file numbers allocated in the 'molly.in' file. These numbers will be used to refer to individual files. Newly created, edited spectra can be assigned new slots of your choice. Be aware, though, that slots are overwritten without warning if you reuse numbers! When using commands, default entries will be shown in [square brackets] and are automatically assigned if no value is given.

To assign the data in 'molly.info' to your spectra, use the 'edit' command:

```
molly> edit          Open files for editing
First slot to edit [ 1]: 1
Last slot to edit [ 1]: 2          (Where 1 & 2 are the first and last file numbers to edit)
```

Commands:

```
clear -- Clear headers
file  -- Read in headers from special file
any   -- Read in a column from a file
term  -- Entry from terminal.
```

del -- Delete header item.
ren -- Rename header item.
quit -- Quit

edit> *file*

Assign the data

Enter filename [header]: *molly.info*

Enter the data file name

Variable 1 name: Object , type: C
Variable 2 name: UTC , type: D
Variable 3 name: RA , type: D
Variable 4 name: Dec , type: D
Variable 5 name: Equinox , type: D
Variable 6 name: Dwell , type: R
Variable 7 name: Day , type: I
Variable 8 name: Month , type: I
Variable 9 name: Year , type: I

edit> *Quit*

Return to the main program

To adjust the heliocentric correction for telescope location enter the following:

molly> *hfix*

First slot to fix [1]:

Last slot to fix [1]: *48*

Telescope ('list' for list, 'skip' to ignore) [Campanas]: *list*

**Enter 'list' to see the available options, or
enter the name, if known**

Please identify the telescope

Palomar 200in
Wilson
Campanas
Lemmon
WHT
INT
JKT
UKIRT
Kitt Peak
AAT
CTIO
McDonald
MMT
VLT
ANU 2.3m
SAAO 1.9m
NTT
or 'elsewhere'

telescope> *Campanas*

Telescope:Campanas

Site:Campanas

Longitude: 70 42 9 70.70250

Latitude: -29 0 11 -29.00306

Elevation: 2280.00000

1, obj: V616Mon , run: 1 exp: 900.0 time: 14/12/06, 05:00:00
2, obj: V616Mon , run: 2 exp: 900.0 time: 14/12/06, 05:18:27
3, obj: V616Mon , run: 3 exp: 900.0 time: 14/12/06, 05:34:09

Averaging and Plotting Spectra

Averaging

The easiest way to check how a set of spectra look is to average them and plot the result. Spectra can be average using the 'av' command:

```
molly> av
First spectrum to average [ 1]:
Last spectrum to average [ 2]:3
Slot for average spectrum [ 3]:4
What method of averaging (U,D,R,V) [U]:
File of weights [ ]:
Added in slot 1 , mean weight 1.
Added in slot 2 , mean weight 1.
Added in slot 3 , mean weight 1.
Number of spectra averaged = 3
WARNING: Arc scales of spectra are not the same. Averaging will go ahead though
Result stored in:
4, obj: V616Mon , run: 1 exp: 660.6 time: 15/12/06, 07:25:13
```

Using slot after the last spectrum you averaged makes it easy to remember where your average spectrum is

Plotting

The default method of plotting allows you to plot spectra which are adjacent to one another, using the 'plot' command:

```
molly> plot
First slot to plot [ 49]:
Last slot to plot [ 49]:

Enter plot limits (Left,Right, Bottom,Top) :
-200.1 4201. -1.9844E+05 1.7876E+04
0, 0 for old pair, A(bort), <CR> to proceed
300. 1300. -1.e4 2.e4

Enter plot limits (Left,Right, Bottom,Top) :
300.0 1300. -1.0000E+04 2.0000E+04
0, 0 for old pair, A(bort), <CR> to proceed

49, obj: V616Mon , run: 1 exp: 660.6 time: 15/12/06, 07:25:13
```

Limits are chosen automatically to include the whole curve. Press enter to use these, a to abort enter your own in the same format.

Alternatively, if you would like to plot spectra which are NOT next to one another, entering 0 into both the first and last slots to plot will take you to a subroutine in which you can pick the spectra you want to plot together:

```
molly> plot
First slot to plot [ 1]: 0
Last slot to plot [ 1]: 0
Enter list of spectra to plot
No slots chosen at present
Enter series of slot ranges
N,-M for M copies of spectrum N; 0,0 to stop
```

Enter zero in both!

At this point, spectra can be chosen by typing the slot number, followed by a comma and the negative of the number of copies you want, then typing 0,0 to end your choice, e.g.:

```
234, -1
N,-M for M copies of spectrum N; 0,0 to stop
325,-1
N,-M for M copies of spectrum N; 0,0 to stop
0,0
Entry finished
```

This will select slots 234 and 325 for plotting once each. When you have finished your entry, you will still be in 'pick' mode - here you can type 's' to show the selected slots, 'c' to clear your choice, 'p' to pick more slots or 'q' to exit picking, choose axes and plot.

Finally, if you would like to plot graphs in several windows, use the command 'device' before plotting and type successive numbers for each new window you want to plot in, followed by /xs (for an xserve window). Alternatively, you can save graphs by typing the file name, followed by /ps:

```
molly> device
Plot device [/xserve]: 1/xs
```

```
molly> device
Plot device [/xserve]: file.ps/ps
```

Creating a trail

A trail composed of your spectra can be created using the 'trail' command:

```
molly> trail
First slot for trail [ 1]:
Last slot for trail [ 1]: 48
Level for lowest colour index [ 0.000000 ]: 100   These indexes must be adjusted to get a good
Level for highest colour index [ 0.000000 ]: 2000 trail - lower the values if it is mostly black.
Enter X axis type [W]: Wavelength (W) should be chosen
Start wavelength [ 5964.839 ]: The wavelength range of your spectra
End wavelength [ 6653.628 ]:
Number of pixels [ 1798]: The number of pixels for each spectrum
```

Preparing spectra for modmap

In order to optimise the output from modmap, several steps are required in molly:

Vbin

Firstly, the spectra should be rebinned on the velocity scale into a heliocentric frame, to account for the earth's velocity. This is done using the 'vbin' command:

```
molly> vbin
First spectrum to rebin [ 1]: 1
Last spectrum to rebin [ 1]: 3
First valid spectrum covers 5964.84 to 6653.63
Using 1798 pixels at 18.22 km/s/pixel.
Velocity centre is at 6299.826927247331
First spectrum for output [ 2]: 101 Using a round starting number (101, 201 etc.) for a new set of
```

spectra

Central wavelength [6299.8269272473]:
Number of km/s/pixel [18.221555592700]:
Number of pixels [1798]:
Interpolation method (L,Q,S) [Q]:

makes things less confusing later

The default parameters should fine to use here

101, obj: V926sco , run: 1 exp: 420.0 time: 06/06/10, 00:39:20
102, obj: V926sco , run: 2 exp: 420.0 time: 06/06/10, 00:47:53
103, obj: V926sco , run: 3 exp: 420.0 time: 06/06/10, 00:56:29

Phase Assignment

To allow the orbital modulation to be fitted in modmap, the orbital phases of the spectra must next be assigned using the 'phase' command:

molly> *phase*

First slot to fix [1]: 1

Last slot to fix [1]: 3

Enter phase to compute [Orbital phase]:

Zero (Heliocentric Julian date) [2440000.0000000]: 2556782.027

The Julian date of the first exposure can be used

Period (days) [0.10000000149012]: 0.19278

The period, in days, of the system's orbit

Quadratic term (days) [0.0000000000000]:

Polynomial Fitting, masking and Subtraction

In order for the spectral feature which you are using for modmap to be as clear as possible, it is useful to fit a curve to the spectrum to subtract. The spectrum can then be masked everywhere except for in and an area around the desired feature.

To fit a polynomial to the spectrum, we use the 'pfit' command. This will ask you if you would like to set a mask before fitting, which is your chance to exclude features in the spectrum, to allow for a good fit. This mask will not be applied to the spectrum in general, only for the fit:

molly> *pfit*

First spectrum to fit [1]: 1

Last spectrum to fit [1]: 3

First slot for fits [2]: 201

Number of poly coeffs [3]: 10

Lower reject threshold [-3.000000]:

Upper reject threshold [3.000000]:

Number of reject cycles [10]:

Weight factor (0=no change, 1=unit) [0.000000]:

Set mask? [YES]:

A higher number of coefficients should give a better if spectral features are masked. Other defaults should work

Set to NO if you do NOT want to mask

Mask regions not wanted in fit.

No mask set

Masker options:

clear -- Clear the mask.

dump -- Dump mask to disk.

load -- Load mask from disk.

mask -- Mask.

unmask -- Unmask.

show -- Show mask.

plot -- Plot a spectrum for cursor.

quit -- Quit.

Masking

At this point you have entered 'mask' mode. Within this, the command 'mask' allows you to enter wavelength values of the areas of your spectrum which you would like to exclude. It is easier, however, to create an average spectrum of your spectra BEFORE starting pfit, then, once in 'mask' mode, to plot this average BEFORE typing 'mask'. If this plot is left open, option will be given to use a cursor on the graph to mask out regions. Selecting this option will activate the cursor on your pre-plotted graph. This will be a vertical red line, which can be positioned before hitting any key (except 'q') to select the start and end of regions around features to exclude. Hitting 'q' will return you to the 'mask' subroutine, which can also be exited using 'q'. This will process the spectra, create the fits in the chosen slots and return you to the main molly program.

```
mask> plot
Plot which slot? [ 1]:          Enter the location of your average spectrum and plot as above
  1, obj: V926sco      , run:   1 exp: 420.0  time: 06/06/10, 00:39:20
Plot in P(ixels), W(avelength) or V(elocity)? [W]:

Enter plot limits (Left,Right, Bottom,Top) :
  5951.  6269.  -252.8  3922.
0, 0 for old pair, A(bort), <CR> to proceed
```

```
mask> mask
Set mask via C(ursor) or T(erminal)? [C]: C

With the plot still open, use the 'mask' command and
choose 'Cursor' to activate the masking cursor on your
plot - use any key to choose regions and 'q' to exit

Select ranges by positioning cursor and hitting any key except Q.
Hitting Q will exit immediately.
```

At this point you will want to compare an average of the fits to an average spectrum, using the method for picking specific spectra shown above. This will allow you to make sure the fit is acceptable before subtraction.

To subtract the fits simply use the 'sub' command and enter the spectra to subtract from and the fits to be subtracted:

```
molly> sub
First spectrum to process [ 1]: 1
Last spectrum to process [ 1]: 3
First spectrum to subtract [ 4]: 201
Last spectrum to subtract [ 203]: 203
First output slot [ 3]: 301
Slot 301 = 1 - 5
  301, obj: V926sco      , run:   1 exp: 420.0  time: 06/06/10, 00:39:20
Slot 302 = 2 - 6
  302, obj: V926sco      , run:   2 exp: 420.0  time: 06/06/10, 00:47:53
Slot 303 = 3 - 7
  303, obj: V926sco      , run:   3 exp: 420.0  time: 06/06/10, 00:56:29
Finished
```

Finally, to trim the data to be used for modmap around the feature you wish to map, type 'mask' to enter the mask subroutine, selecting the slots you wish you to mask. You are then able to permanently mask all of the spectrum except the section you wish to use:

```
molly> mask
First slot to mask [ 1]: 301
Last slot to mask [ 301]: 303
First output slot [ 2]: 401
Mask (else unmask)? [y]: If you make a mistake, reenter 'mask' mode and set set this to no (n) to clear masks
Set mask? [YES]:
Define regions to MASK
```

No mask set

Masker options:

```
clear -- Clear the mask.
dump -- Dump mask to disk.
load -- Load mask from disk.
mask -- Mask.
unmask -- Unmask.
show -- Show mask.
plot -- Plot a spectrum for cursor.
quit -- Quit.
```

Saving and Loading

To save spectra for use again in molly or for input into modmap, use the command 'write' and enter the file name and the slots of the spectra to save ('dump'). If you are overwriting an old file, select yes (y) when prompted:

```
molly> write
File name [spectrum]: filename.mol
First slot to dump [ 1]: 1
Last slot to dump [ 1]: 3
Is this an old file? [N]: Enter 'no' (n) for a new file, 'yes' (y) for an old file
  1, obj: V926sco , run: 1 exp: 420.0 time: 06/06/10, 00:39:20
  2, obj: V926sco , run: 2 exp: 420.0 time: 06/06/10, 00:47:53
  3, obj: V926sco , run: 3 exp: 420.0 time: 06/06/10, 00:56:29
Dumped 3 spectra to 1.mol
```

To load saved spectra back into molly, use the command 'load', choose the slots into which to load the spectra and select the spectrum in the file with which to start:

```
molly> load
File name [file.mol]: filename.mol
First slot to read into [1]: 1
Last slot to read into [ 2]: 3
Start spectrum in file [ 1]: 1
  1, obj: V926sco , run: 1 exp: 420.0 time: 06/06/10, 00:39:20
  2, obj: V926sco , run: 2 exp: 420.0 time: 06/06/10, 00:47:53
  3, obj: V926sco , run: 3 exp: 420.0 time: 06/06/10, 00:56:29
Read 3 spectra from filename.mol
```

You should now be ready to enter your spectra into modmap!